Introduction to IBM SPSS Modeler Text Analytics (v18.1.1)

Kód kurzu: 0A108G

This course (formerly: Introduction to IBM SPSS Text Analytics for IBM SPSS Modeler (v18)) teaches you how to analyze text data using IBM SPSS Modeler Text Analytics. You will be introduced to the complete set of steps involved in working with text data, from reading the text data to creating the final categories for additional analysis. After the final model has been created, there is an example of how to apply the model to perform churn analysis in telecommunications. Topics include how to automatically and manually create and modify categories, how to edit synonym, type, and exclude dictionaries, and how to perform Text Link Analysis and Cluster Analysis with text data. Also included are examples of how to create resource tempates and Text Analysis packages to share with other projects and other users.

Pobočka	Dní	Katalógová cena	ITB	
Praha	2	26 200 Kč	0	
Brno	2	26 200 Kč	0	
Bratislava	2	1 050 €	0	

Všetky ceny sú uvedené bez DPH.

Termíny kurzu

ita	
-----	--

Všetky ceny sú uvedené bez DPH.

Pre koho je kurz určený

Users of IBM SPSS Modeler responsible for building predictive models who want to leverage the full potential of classification models in IBM SPSS Modeler.

Čo Vás naučíme

You will be introduced to the complete set of steps involved in working with text data, from reading the text data to creating the final categories for additional analysis. After the final model has been created, there is an example of how to apply the model to perform churn analysis in telecommunications. Topics include how to automatically and manually create and modify categories, how to edit synonym, type, and exclude dictionaries, and how to perform Text Link Analysis and Cluster Analysis with text data. Also included are examples of how to create resource tempates and Text Analysis packages to share with other projects and other users.

Požadované vstupné znalosti

- General computer literacy
- Prior completion of Introduction to IBM SPSS Modeler and Data Mining (v18) is recommended.

Študijné materiály

Príručka ku kurzu firmy IBM podľa programu kurzu.

Osnova kurzu

Unit 1 - Introduction to text mining

- Describe text mining and its relationship to data mining
- Explain CRISP-DM methodology as it applies to text mining
- Describe the steps in a text mining project

Unit 2 - An overview of text mining

- Describe the nodes that were specifically developed for text mining
- Complete a typical text mining modeling session

GOPAS Praha Kodaňská 1441/46

101 00 Praha 10 Tel.: +420 234 064 900-3 info@gopas.cz

GOPAS Brno

Nové sady 996/25 602 00 Brno Tel.: +420 542 422 111 info@gopas.cz

GOPAS Bratislava

Dr. Vladimíra Clementisa 10 Bratislava, 821 02 Tel.: +421 248 282 701-2 info@gopas.sk



Copyright © 2020 GOPAS, a.s., All rights reserved

Introduction to IBM SPSS Modeler Text Analytics (v18.1.1)

Unit 3 - Reading text data

- Reading text from multiple files
- Reading text from Web Feeds
- Viewing text from documents within Modeler

Unit 4 - Linguistic analysis and text mining

- Describe linguistic analysis
- Describe Templates and Libraries
- Describe the process of text extraction
- Describe Text Analysis Packages
- Describe categorization of terms and concepts

Unit 5 - Creating a text mining concept model

- Develop a text mining concept model
- Score model data
- Compare models based on using different Resource Templates
- Merge the results with a file containing the customer's demographics
- Analyze model results

Unit 6 - Reviewing types and concepts in the Interactive Workbench

- Use the Interactive Workbench
- Update the modeling node
- Review extracted concepts

Unit 7 - Editing linguistic resources

- Describe the resource template
- Review dictionaries
- Review libraries
- Manage libraries

Unit 8 - Fine tuning resources

- Review Advanced Resources
- Extracting non-linguistic entities
- Adding fuzzy grouping exceptions
- Forcing a word to take a particular Part of Speech
- Adding non-Linguistic entities

Unit 9 - Performing Text Link Analysis

- Use Text Link Analysis interactively
- Create categories from a pattern
- Use the visualization pane
- Create text link rules
- Use the Text Link Analysis node

Unit 10 - Clustering concepts

- Create Clusters
- Creating categories from cluster concepts
- Fine tuning Cluster Analysis settings

Unit 11 - Categorization techniques

- Describe approaches to categorization
- Use Frequency Based Categorization
- Use Text Analysis Packages to Categorize data
- Import pre-existing categories from a Microsoft Excel file
- Use Automated Categorization with Linguistic-based Techniques

GOPAS Praha

info@gopas.cz

Kodaňská 1441/46 101 00 Praha 10 Tel.: +420 234 064 900-3

GOPAS Brno

Nové sady 996/25 602 00 Brno Tel.: +420 542 422 111 info@gopas.cz

GOPAS Bratislava

Dr. Vladimíra Clementisa 10 Bratislava, 821 02 Tel.: +421 248 282 701-2 info@gopas.sk



Copyright © 2020 GOPAS, a.s., All rights reserved

Introduction to IBM SPSS Modeler Text Analytics (v18.1.1)

Unit 12 - Creating categories

- Develop categorization strategy
- Fine turning the categories
- Importing pre-existing categories
- Creating a Text Analysis Package
- Assess category overlap
- Using a Text Analysis Package to categorize a new set of data
- Using Linguistic Categorization techniques to Creating Categories

Unit 13 - Managing Linguistic Resources

- Use the Template Editor
- Share Libraries
- Save resource templates
- Share Templates
- Describe local and public libraries
- Backup Resources
- Publishing libraries

Unit 14 - Using text mining models

- Explore text mining models
- Develop a model with quantitative and qualitative data
- Score new data

Appendix A - The process of text mining

- Explain the steps that are involved in performing a text mining project

Kodaňská 1441/46 101 00 Praha 10 Tel.: +420 234 064 900-3 info@gopas.cz Nové sady 996/25 602 00 Brno Tel.: +420 542 422 111 info@gopas.cz

GOPAS Bratislava

Dr. Vladimíra Clementisa 10 Bratislava, 821 02 Tel.: +421 248 282 701-2 info@gopas.sk



Copyright © 2020 GOPAS, a.s., All rights reserved